PRINTED: 10/09/2015 FORM APPROVED

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION  A. BUILDING:		(X3) DATE SURVEY COMPLETED
		013212	B. WING		C 10/05/2015
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE					
BARRINGTON OF CARMEL, THE CARMEL, IN 46032					
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL .SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIC (EACH CORRECTIVE ACTION SHOULE CROSS-REFERENCED TO THE APPROP DEFICIENCY)	BE COMPLETE
R 000	000 INITIAL COMMENTS		R 000		
	IN00179994.	Investigation of Complaint			
	This visit was in conjunction with the Post Survey Revisit (PSR) to IN00178092 and IN00178546.  Complaint IN00179994 - Substantiated. No deficiencies related to the allegations are cited.				
	Survey dates: October 2 & 5, 2015				
	Facility Number: 013212 Provider Number: 155817 AIM Number: NA				
	Residential: 64				
	Sample: 5				
	The Barrington of Carmel was found to be in compliance with 410 IAC 16.2-5 in regard to the Investigation of Complaint IN00179994.				
	Quality Review was c October 8, 2015.	ompleted by 21662 on			

Indiana State Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

(X6) DATE TITLE